

Identity : QQ-Set

Use:
Concrete Additive

1. Company Identification

Manufacturer's Name: Obaproof Manufacturing Sdn Bhd
Address: Lot 3996, Lorong 2A, Jalan Kampung Baru Subang,
Kampung Bunga Raya, 40150 Shah Alam,
Selangor Darul Ehsan.
Telephone No.: 012-968 4685

Contact Points:

Designation (department): Management Department
Telephone No.: 012-968 0735

2. Composition / Information on Ingredient

Component: Calcium Chloride

3. Physical and Chemical Properties

Appearance: Liquid
Specific Gravity: 1.30
Colour: Dark Brown
Solubility - Water: Miscible in water
Flash Point: > 100
Boiling Point PH: N/A
PH: 7.5 - 9.0

4. Hazard Identification

Classification: Irritating to the eyes and skin - Category 2

5. First and Measures**5.1 GENERAL INFORMATION**

Remove contaminated, soaked clothing immediately and dispose safely.

5.2 INGESTION

Do not induce vomiting. If conscious, have person drink plenty of water. Seek medical attention or contact poison control centre immediately.

5.3 EYE CONTACT

Wash thoroughly with water for at least 15 minutes, including under lids, to remove all particles. Seek medical attention for abrasions and burns

5.4 SKIN CONTACT

Wash with cool water and a PH neutral soap or a mild skin detergent. Seek medical attention for rash, burns, irritation, dermatitis and prolonged unprotected exposures to wet cement, cement mixtures or liquids from cement.

5.5 INHALATION

Move person to fresh air. Seek medical attention for discomfort of if coughing or other symptoms do not subside.

5.6 MAIN SYMPTOMS

None known.

5.7 TREATMENT

Treat Symptomatically.

6. Fire Fighting Measures

6.1 EXTINGUISHER MEDIA

Used Extinguishing media appropriate for surrounding fire. (Foam, Dry Powder, Carbon Dioxide)

6.2 PROTECTIVE EQUIPMENT FOR FIRE FIGHTER

Wear self contained breathing apparatus for fire fighting if necessary.

7. Accidental Release Measure

7.1 PERSONAL PRECAUTIONS

Contaminated surfaces will be extremely slippery.
Avoid contact with skin and eyes.

7.2 ENVIRONMENT PRECAUTION

Do not allow material to contaminate ground water.
Do not flush into surface water or sanitary sewer system.

8. Handling and Storage

8.1 HANDLING

Store in tight close container in a well ventilated area.

8.2 STORAGE

Store in the cool dry areas.

Storage temperature should be controlled to between 5 to 25°C.

9. Stability and Reactivity

Stability: Stable under normal condition

Condition to avoid: Do not freeze

Material to avoid: Material that react with water

Hazardous Reactive: No Hazard to be especially mentioned

10. Toxicological Information

Toxicological data is not available. Observe the usual hygienic measure for handling chemical.

11. Ecological Information

Ecological data is not available. According to experience, the material has no harmful effect on the environment, and is not classified as hazardous to the environment.

12. Disposal

Observe all relevant local and international regulation

12.1 Product Disposal

Engage licensed waste contractor to dispose the material.

12.2 Container Disposal

Engage licensed waste collector to dispose the used containers.

13. Transport Information

ADR/RID: Not Regulated

ADNR: Not Regulated

IATA: Not Regulated

14. Others Information

For more information refer the technical data sheet. Evaporation Rate

*ALL OF THE MSDS DATA ARE FOR REFERENCE ONLY.
THE USER SHOULD JUDGE THE USABILITY THEMSELVES.*