

# PREMIX PLASTER 9921

**Identity : Premix Plaster 9921**

## **1. COMPANY IDENTIFICATION**

Manufacturer's Name: Obaproof Manufacturing Sdn Bhd  
Address: Lot 4049, Jalan 2D, Kampung Baru Subang,  
Seksyen U6, 40150 Shah Alam, Selangor.  
Telephone No.: 010-225 3828 / 010-434 9050  
Fax: 03-7845 5797  
Email: Obaproofmalaysia@gmail.com  
Website: www.obaproof.com

## **2. COMPOSITION/INFORMATION ON INGREDIENTS**

- 2.1 Name:  
Colored Composite Cement
- 2.2 Description:  
A preparation of cementitious mix based on a significant portion of portland cement, graded limestone powders, graded sand and other chemicals. Detail information on content is confidential.

## **3. HAZARDS IDENTIFICATION**

- 3.1 GHS Classification of the substance or mixture:  
Not classified
- 3.2 GHS Label Elements:  
Pictogram None  
Signal Word None  
Hazard Statements None
- 3.3 Precautionary Statements:  
Prevention:  
Use engineering controls and wet methods to minimize dust.
- 3.4 Response:  
If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if exposed or concerned.
- 3.5 Storage:  
Keep dry to preserve usefulness.
- 3.6 Disposal:  
Dispose of material in accordance with federal, state, and local regulations.

# PREMIX PLASTER 9921

## **4. FIRST AID MEASURES**

If irritation or other symptoms (as noted above) occur or persist from any route of exposure, remove the affected individual from the area and get medical aid.

- 4.1 EYES:  
Irrigate eyes with a heavy stream of water for at least 15 to 20 minutes. Occasionally lifting the upper and lower eyelids with fingers and roll eyes in circular motion. Get medical aid if needed.
- 4.2 SKIN:  
Wash exposed areas of the body with soap and water. Get medical aid if irritation develops or persists.
- 4.3 INHALATION:  
In extreme cases: Irritation  
Remove from area of exposure and move to fresh air immediately; seek medical attention if symptoms persist.
- 4.4 INGESTION:  
Never give anything by mouth to an unconscious person. Get medical aid. Do not induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cups of milk or water.
- 4.5 Note to Physician:  
Treat symptomatically and supportively.

## **5. FIRE FIGHTING MEASURES**

- 5.1 Extinguishing Media:  
Dry chemical, foam, water, or extinguishing media appropriate for surrounding fire.
- 5.2 Unusual Fire and Explosion Hazards:  
Material poses no fire-related hazard.
- 5.3 Special hazards arising from the mixture:  
None known
- 5.4 Special Protective Equipment and Precautions for Firefighters:  
A SCBA is recommended to limit exposures to combustion products when fighting any fire.

# PREMIX PLASTER 9921

## **6. ACCIDENTAL RELEASE MEASURES**

- 6.1 Personal precautions, protective equipment and emergency procedures:  
No special precautions required. General recommendations: Wear appropriate Personal Protective Equipment. (See Section 8)
- 6.2 Environmental precautions:  
This product does not present an ecological hazard to the environment. Dispose of in accordance with applicable federal, state, and local regulations.
- 6.3 Methods and materials for containment and cleaning up:  
No specific clean-up procedures necessary. Pick up unused product to prevent tripping hazard.

## **7. HANDLING AND STORAGE**

- 7.1 Handling:  
Keep away from heat. Do not ingest. If ingested, seek medical advice immediately and show the container or the label. Wash thoroughly after handling. Use with adequate ventilation. Minimise dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid drinking, tasting, swallowing or ingesting this product. Provide eyewash fountains and safety showers in the work area.
- 7.2 Storage:  
No special packaging required. Not classified as dangerous goods under the United Nations Transport Recommendations.

## **8. EXPOSURE CONTROL /PERSONAL PROTECTION**

- 8.1 Engineering Controls:  
Facilities storing or utilizing this materials should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Always provide effective general and when necessary local exhaust ventilation to draw spray, aerosol, fume, mist, and vapour away from workers to prevent routine inhalation.
- 8.2 RESPIRATORY PROTECTION:  
In case of insufficient ventilation, wear suitable respiratory equipment.
- 8.3 PERSONAL PROTECTIVE EQUIPMENT EYES:  
Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

# PREMIX PLASTER 9921

## 8.4 OTHER PROTECTIVE MEASURES:

Employees must practice good personal hygiene, washing exposed areas of skin several times daily and laundering contaminated clothing before re-use.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State:	Powder
Appearance:	Grey
Odour:	Odourless
PH @ 1.0% H <sub>2</sub> O:	6.0 – 8.0
Vapour Pressure:	Not available.
Vapour Density:	Not available.
Boiling Point:	Not available.
Freezing/ Melting Point:	Not available.
Decomposition Temperature:	Not available.
Volatiles, % by weight:	Not available.
Specific Gravity (H <sub>2</sub> O=1):	Not available.
Solubility in H <sub>2</sub> O, % by Volume:	Soluble
Evaporation Rate:	Not available.
Viscosity:	Not available.

## **10. STABILITY AND REACTIVITY**

### 10.1 GENERAL:

This product is stable.

### 10.2 CONDITIONS TO AVOID:

Incompatible materials, dust generation, excess heat

### 10.3 INCOMPATIBLE MATERIALS AND CONDITIONS TO AVOID:

Strong oxidising agents

### 10.4 DECOMPOSITION PRODUCTS:

Combustion produces carbon monoxide, carbon dioxide.

### 10.5 HAZARDOUS POLYMERIZATION:

Has not been reported.

## **11. Toxicological Information**

### 11.1 Potential Health Effects:

CAUTION! Repeated inhalation of dust can cause sensitisation to susceptible individuals & may cause eye irritation. Pre-existing skin problem may be aggravated by prolonged or repeated contact.

# PREMIX PLASTER 9921

- 11.2 INHALATION:  
Dust inhalation may cause coughing, mucous production and shortness of breath.
- 11.3 EYE CONTACT:  
Direct contact may cause irritation.
- 11.4 SKIN CONTACT:  
Prolonged or repeated contact is no expected to create acute health effects.
- 11.5 INGESTION:  
No ingestion effect known.
- 11.6 Chronic health effects:  
None known
- 11.7 Symptoms / Sign of exposure:  
Irritation
- 11.8 Routes of exposure:  
Eye contact, Inhalation
- 11.9 Carcinogenic status:  
The components of this mixture are not known to be listed or regulated by IARC, NTP, OSHA, ACGIH.

As with all chemicals for which test data are limited or non-exist, caution must be exercised through the prudent use of protective equipment and handling procedure to minimise exposure.

## **12. Ecological Information**

This product is biodegradable.

## **13. DISPOSAL CONSIDERATIONS**

Incinerate or landfill waste in a properly permitted facility in accordance with local regulations. Land disposal should be in closed containers.

US RQ: Not applicable

# PREMIX PLASTER 9921

## **14. TRANSPORT INFORMATION**

Cement Additives is not covered by the international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID) and no classification is required.

No special precautions are needed apart from those mentioned under heading 8.

## **15. REGULATORY INFORMATION:**

European/International Regulations

European Labelling in Accordance with EC Directives

Hazard Symbols: N/A

Risk Phrases:

Safety Phrases:

*ALL OF THE MSDS DATA ARE FOR REFERENCE ONLY.  
THE USER SHOULD JUDGE THE USABILITY THEMSELVES.*