

Identity : Obaproof Flexxi 2 in 1

Product Description:

Flushing Joints and Skimming Surface

1. Company Identification

Manufacturer's Name: Obaproof Manufacturing Sdn Bhd
Address: Lot 3996, Lorong 2A, Jalan Kampung Baru Subang,
Kampung Bunga Raya, Kampung Subang Baru,
40150 Shah Alam, Selangor.
Telephone No.: 010-225 3828 / 010-434 9050
Fax: 03-7845 5797
Email: Obaproofmalaysia@gmail.com
Website: www.obaproof.com

2. Physical and Chemical Properties

Form: Powder form
Colour: White
Odour/ Taste: NA
Solubility (H₂O): NA
Density/ Specific Gravity: NA
Boiling Point: NA
Shelf Life: Min 12 months
Vapor Density (Air = 1): NA
Vapor Pressure (Mm-Hg): NA
Melting Point: NA

3. Composition/ Information on Ingredients

Components: Gypsum
Cas Number: NA
Propotions: NA

4. Stability and Reactivity

Hazardous Decomposition Products: None
Hazardous Polymerisation: None

5. Hazards Identification

Poisons Schedule: None
Risk: None under normal conditions.

6. Toxicology InformationAcute Effects of Overexposure:

| | |
|----------------------------------|----------------------|
| Swallowing: | None currently known |
| Skin Absorption: | None currently known |
| Inhalation: | None currently known |
| Skin Contact: | None currently known |
| Eye Contact: | None currently known |
| Chronic Effects of Overexposure: | None currently known |
| Other Health Hazards: | None currently known |

7. Ecology Information

| | |
|-------------------------|----------------|
| Environmental Toxicity: | Not determined |
| Ecotoxicity Value: | Not determined |

8. Fire and Explosion Hazard Data

- 8.1 General Fire Hazards:
Not expected to burn
- 8.2 Flash Point:
Not applicable
- 8.3 Extinguishing Media:
This material is not flammable, use water or extinguishing media appropriate for surrounding fire.
- 8.4 Special Fire Fighting Procedure:
Wear appropriate personal protective equipment.
- 8.5 Unusual Fire & Explosion Hazards:
None

9. First Aid Measures

- 9.1 Skin: In case of irritation wash with large amounts of water; use soap if available. If irritation persists, seek medical attention.
- 9.2 Eyes: Flush eyes with large amounts of water for 15 minutes or until irritation subside. If irritation persists, get medical attention.
- 9.3 Inhaled: Go to open area with fresh air until coughing and other symptoms subside. Seek medical attention if discomfort persists.

- 9.4 Swallowed: Wash mouth with plenty of water. Drink large amounts of water if ingestion has occurred.

10. Exposure Controls and Personal Protection

- 10.1 Protective Clothing & Eye Protection:
Safety goggles and protective gloves.
- 10.2 Respiratory Protection:
Wear a fine particle mask at normal conditions.
- 10.3 Ventilation:
General (mechanical) room ventilation is expected to be satisfactory.
- 10.4 Other Protection:
Eye bath.

11. Accidental Release Measures

- 11.1 Personal Precautions:
Wear sufficient protective equipment. Isolate spill area, preventing entry by unauthorized persons. Ventilate area of spill if there is excessive airborne dust.
- 11.2 Environmental Precautions:
Minimize entry of material into drainage systems.
- 11.3 Methods for Clean-Up:
Scoop up all dry material then flush area of spill with water to remove final traces. Bury in suitable landfill where permitted under appropriate government regulations.

12. Disposal Considerations

Bury in suitable landfill where permitted or other appropriate guidelines issued under government regulations.

13. Handling and Storage

- 13.1 Handling:
Keep bag closed when not in use. Do not eat or drink while handling.
- 13.2 Storage:
Store in dry area. Reseal bag after use.

14. Transport Information

International (Land, Air, Sea) Domestic (Land, Air, Sea) Proper Shipping Name:
Flexxi 2 in 1

15. Regulatory Information

Safety Phrases:

In case of eye contact, rinse immediately with plenty of water. Wear suitable protective clothing, gloves & eye/ face protection.

16. Other information

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for his / her own particular use.

16.1 Disclaimer of liability:

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of material. Information contained herein is believed to be true and accurate and is only meant to describe the material in view of its safety aspects. All statements or suggestions are made without any warranty, express or implied.

*ALL OF THE MSDS DATA ARE FOR REFERENCE ONLY.
THE USER SHOULD JUDGE THE USABILITY THEMSELVES.*